


# Setting up Silomail on Mozilla Thunderbird

Upon launching Thunderbird for the first time a window will pop up asking you for information about your e-mail address.

1. Input your information as seen below, once done click **Continue**.



Mail Account Setup

Your name: John Doe Your name, as shown to others


Email address: johndoe@silomail.com

Password: •••••

Remember password

Cancel Continue

2. When you see the below screen, click **stop**.



Mail Account Setup

Your name: John Doe Your name, as shown to others



Email address: johndoe@silomail.com

Password: •••••

Remember password [Start over](#)

**Thunderbird is looking up the settings for your email account.**


Username: johndoe [Stop](#)

	Incoming: imap.silomail.com	IMAP	143	STARTTLS
	Outgoing: smtp.silomail.com	SMTP	587	STARTTLS

[Manual Setup...](#) Cancel Create Account

# Setting up Silomail on Mozilla Thunderbird


3. Change the incoming and outgoing server information under **Editing Config** to match the below picture. Once done, click **Manual Setup**.



The screenshot shows the 'Mail Account Setup' dialog box. It contains the following fields and options:

- Your name:** John Doe (Your name, as shown to others)
- Email address:** johndoe@silomail.com
- Password:** [masked with dots]
- Remember password
- [Start over](#)
- Editing Config**
  - Username:** johndoe (with a [Re-test Configuration](#) button)
  - Incoming:** pop3.silomail.com (with a dropdown menu set to POP, a port field set to 110, and a dropdown menu set to None)
  - Outgoing:** smtp.silomail.com (with a dropdown menu set to SMTP, a port field set to 25, and a dropdown menu set to None)
- [Manual Setup...](#)
- [Cancel](#)
- [Create Account](#)

4. Once the **Account Settings** window pops up, click on **Outgoing Server (SMTP)** and click **Edit**.



The screenshot shows the 'Account Settings' dialog box. The left sidebar shows a tree view with 'Outgoing Server (SMTP)' selected. The main area displays the following settings:


- Outgoing Server (SMTP) Settings**
- Although you can specify more than one outgoing server (SMTP), this is only recommended for advanced users. Setting up multiple SMTP servers can cause errors when sending messages.
- Server Name: johndoe - smtp.silomail.com (Default)
- [Add...](#)
- [Edit...](#)
- [Remove](#)
- [Set Default](#)
- Description: <not specified>
- Server Name: smtp.silomail.com
- Port: 25
- User Name: johndoe
- Secure Authentication: No
- Connection Security: None

At the bottom, there is an 'Account Actions' dropdown menu, and 'OK' and 'Cancel' buttons.

# Setting up Silomail on Mozilla Thunderbird

5. Once the **SMTP Server** window opens, click the box next to **Use name and password**, then input the first part of your e-mail address (leaving off *@silomail.com*) in the **User Name** field, then click **OK**.

**Note:** This may have already been completed automatically, if you open the **SMTP Server** settings box and find these setting already there, click **OK** to close the box.



6. Compose an e-mail, address it to [test@silomail.com](mailto:test@silomail.com) and click send. If the below box pops up, enter your e-mail password, check the box next to **Use Password Manager to remember this password**, and click **OK**.



**Congratulations!** Your set up is complete!

If everything has been set up properly you will soon receive a reply to your test e-mail confirming it was sent successfully.